

**BIKE****KTM 690 ENDURO R**

21->25

Details

Manufacturer & Model	690 Enduro R / 21->25
Kit Code	KRBEVO-055W
Rapid Bike type	evo
Wiring	F27-ER-055-E5
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✗
Warnings	e5

Manufacturer & Model	690 Enduro R / 21->25
Kit Code	KRBEVO-055W
Rapid Bike type	evo
Wiring	F27-ER-055-E5
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✗
Warnings	e5

Manufacturer & Model	690 Enduro R / 21->25
Kit Code	KRBRAC-055W
Rapid Bike type	racing
Wiring	F27-ER-055-E5
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✓

Traction Control ✓

Launch Control ✓

Shift assist (up) ✗

Warnings **e5**

Manufacturer & Model **690 Enduro R / 21->25**

Kit Code **KRBRAC-055W**

Rapid Bike type **racing**

Wiring **F27-ER-055-E5**

Extra Cost ✗

O2 Modulation ✓

Injection ✓

Self adaptative injection ✓

eight injectors ✗

two O2 ✗

gearbox reading ✗

speed limiter ✗

rpm limiter ✗

Engine brake ✓

Ignition timing ✓

Traction Control ✓

Launch Control ✓

Shift assist (up) ✗

Warnings **e5**

DIMSPORT SOLUTIONS FOR THIS VEHICLE



RAPID BIKE EVO

It puts in your hands total control of fueling operations as it is directly connected to all stock injectors (up to eight) while managing at the same time the corresponding air/fuel ratio. In this way the carburetion values can be modified throughout the entire engine power delivery curve.



RAPID BIKE RACING

It represents the highest level of technology available for reaching top performance, offering the widest range of solutions for demanding professional track riders and street users.