

**BIKE****KTM 690 SMC**

08->11

Details

Manufacturer & Model	690 SMC / 08->11
Kit Code	KRBEA2-020
Rapid Bike type	easy
Wiring	F27-EA-020
Extra Cost	✗
O2 Modulation	✓
Injection	✗
Self adaptative injection	✗
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✗
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✗
Warnings	654c.c.

Manufacturer & Model	690 SMC / 08->11
Kit Code	KRBEA2-020
Rapid Bike type	easy
Wiring	F27-EA-020
Extra Cost	✗
O2 Modulation	✓
Injection	✗
Self adaptative injection	✗
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✗
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✗
Warnings	654c.c.

Manufacturer & Model	690 SMC / 08->11
Kit Code	KRBEVO-055C
Rapid Bike type	evo
Wiring	F27-ER-055
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗

Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Warnings	654c.c.
Manufacturer & Model	690 SMC / 08->11
Kit Code	KRBEVO-055C
Rapid Bike type	evo
Wiring	F27-ER-055
Extra Cost	✗
O2 Modulation	✓
Injection	✓
Self adaptative injection	✓
eight injectors	✗
two O2	✗
gearbox reading	✗
speed limiter	✗
rpm limiter	✗
Engine brake	✓
Ignition timing	✗
Traction Control	✗
Launch Control	✗
Shift assist (up)	✓
Warnings	654c.c.

DIMSPORT SOLUTIONS FOR THIS VEHICLE



RAPID BIKE EVO

It puts in your hands total control of fueling operations as it is directly connected to all stock injectors (up to eight) while managing at the same time the corresponding air/fuel ratio. In this way the carburetion values can be modified throughout the entire engine power delivery curve.



RAPID BIKE EASY

Equipped with a microprocessor managing directly the lambda sensor signal to optimize the air/fuel ratio, improve the engine efficiency and eliminate the torque and power gaps